



## A Novel Method of 3D Image Reconstruction Using ACO-based TVR-DART

AnanthaLakshmi Muthuraj<sup>1</sup>, Yamuna Govindarajan<sup>1\*</sup>, Sanjeevi Kumar Aiyannar<sup>2</sup>

<sup>1</sup> Department of Electronics and Communication Engineering, Annamalai University, Annamalainagar, 608002, Tamilnadu, INDIA.

<sup>2</sup> Department of Electronics and Communication Engineering, Meenakshi Academy of Higher Education and Research, Mangadu, Tamilnadu, INDIA.

\*Corresponding Author (Email: [yamuna.sky@gmail.com](mailto:yamuna.sky@gmail.com))

**Paper ID: 12A50**

**Volume 12 Issue 5**

Received 23 November  
2020

Received in revised form 23  
February 2021

Accepted 05 March 2021

Available online 15 March  
2021

### Keywords:

3D reconstruction;  
Phantom's Sinogram;  
Ant colony optimization  
(ACO); 3D visualization;  
ACO-based TVR-DART;  
TVR-DART algorithm;  
Image segmentation;  
Modified fuzzy c-means  
(MFCM); Brain tumor;  
2D slice; Brain image;  
MFCM clustering  
algorithm; PDM-DART.

### Abstract

Visualization of the organs is very important in the medical field to correctly diagnose and treat any disease. Diagnosis and multiple surgeries of brain tumors also mandated impressive 3D brain visualization to the radiologist. Detection of magnetic resonance imaging (MRI) and restore imaging of brain tumors is a task that consumes computational time and is prone to uncertainty. Since bidimensional images have not ever given the actual feeling of exactly how a tumor appears, it requires 3D tumor reconstruction for research and treatment imaging. The complexity and diversity of tumors make it very difficult to visualize the tumor in MRI. 3D image reconstruction is one of the most attractive avenues for the processing of digital signals, thanks in particular to its use in biomedical imaging. The study provided an efficient and systematic restoration approach for 3D. It includes integrating multiple stages such as preprocessing of images, segmentation of images, and advancement of 3D models, and reconstruction on the identified tumor. In this paper we introduce modified fuzzy c means segmentation clustering (MFCM), and total-variation regularized discrete algebraic reconstruction technique (TVR-DART) algorithm relying on an ant colony optimization (ACO) for reconstruction.

**Disciplinary:** Medical & Health Technology, Electronics Engineering, Applied Mathematics.

©2021 INT TRANS J ENG MANAG SCI TECH.

### Cite This Article:

Muthuraj, A., Govindarajan, Y., Aiyannar, S. K. (2021). A Novel Method of 3D Image Reconstruction Using ACO-based TVR-DART. *International Transaction Journal of Engineering, Management, & Applied Sciences & Technologies*, 12(5), 12A50, 1-10. <http://TUENGR.COM/V12/12A50.pdf> DOI: 10.14456/ITJEMAST.2021.99

# 1 Introduction

Using several 2D Magnetic Resonance (MR) images, we suggest a completely automated and efficient method for practical reconstruction of the 3D brain tumor model. Reconstruction of segmentation and 3D volume in medical imaging is a method that enables diagnostic optimization, and can also facilitate the specialist in qualitative and quantitative research. In diverse uses such as modeling, quantitative analysis, and image-guided surgery, it is an essential step. For clinical planning, detection, and quantification including such volume measurements, 3D segmentation of the pathology and healthy structures is absolutely critical. Detailed segmentation of pathological constructs is a challenging task since brain tumors differ significantly in size and location and may interfere with normal tissue and consume area [1].

The brain seems to have a very complex process and is considered a kernel as part of the body. The human brain works like a monitor that governs all of our body actions. The brain produces the thought, feelings, the strategy, etc. The neurons in the brain capture the memories of all activities. The visual restoration or emulation of patient memories gathered using magnetic resonance imaging (MRI), electroencephalography (EEG), etc. is very important to accurate brain-related patient diagnostics and healthcare professionals. The medical image analysis can be used to analyze these recovered images [2]. Restoration of brain pictures is a large field when trying to work with such images, and is beneficial not just for diagnosis as well as for training local doctors. Oncologists in Radiation use one of the open visual interpretation and segmentation to expend a large amount of the time manual method performing the image segmentation. There might still be cases when current methods struggle. Another aspect is that doctors also need to retain absolute control on segmentation [3].

In this paper, we proposed a solution that supports the brain tumor within it with a 3D visualization system. For this application, the Proposed Framework uses brain MR pictures. There are several stages to this method. The proposed system's first process removes noise from MR images. We obtain the segmented picture from an MFCM in the second step. This brain portion of the photos is taken from the tumor area. For 3D rendering, the tumor area that is derived from this step is used. For 3D visualization of the brain and tumor, we were using a rendering algorithm.

# 2 Related Work

Batenburg et al. [4] presents a discrete tomography (DT) image reconstruction method, called a Discrete technique for algebraic reconstruction (DART). DART can be added because the scanned object consists of only a few separate combinations, each of which correlates reconstruction to a steady gray color. With each arrangement, specific knowledge on the gray values is used to direct the latest reconstruction into a reconstruction that contains exactly such gray values. It is claimed that experimental experiments of both visual CT (Computer tomography) data and computational  $\mu$ CT (Micro Computer Tomography) DART data will measure more precise reconstruction from a small number of projection images. It is also demonstrated DART can handle

noisy projection information efficiently and that the method is robust as regards errors in estimating the gray values.

Mecheter et al. [5] Recently evolving hybrid positron emission tomography (PET) technology has become a significant necessity for a successful resonance imaging PET attenuation correction based on an MR image. MR image segmentation has been widely implemented in industrial PET / MRI scanners, as a reliable and easy tool for PET attenuation correction. The typical technique in this approach is to separate the MR image into various categories of tissues, each attaching an intensity constant as in an X-ray CT image. Deep learning approaches including clustering, labeling, and deep networks are commonly used for brain MR image segmentation. Nevertheless, only limited literature has been conducted on the usage of deep learning in brain PET attenuation correction. However, this implementation requires clinical assessment of machine learning techniques. The goal of the present research is to examine the usage of MR machine learning methods in the segmentation of images and their application in PET brain imaging attenuation correction. In addition, problems and potential opportunities are mentioned in MR image-based PET attenuation correction.

WEI et al. [6] proposed a joint reconstruction and segmentation technique conducting immediate reconstruction and segmentation of images on the predicted results. To measure the consequent optimization problem, we identify an alternate minimization technique and change the primal-dual hybrid gradient strategy for the non-convex basis functions constant Mumford-Shah model, a prevalent estimation strategy for segmentation of biomedical images. The research framework is simulated and applied on real micro-CT data sets affirms the performance.

Aarle et al. [7] Previous knowledge on the compositions of the substance is used in the discrete method of algebraic reconstruction (DART) to create replicated high-resolution artifacts of a small prediction total. Typically this institutional experience is not readily accessible in service. Here, a fully automatic operation, named DART Projection Distance Minimization (PDM-DART), is recommended by dynamically determining the optimum gray level parameters all through reconstruction. In order to enforce PDM-DART, it is necessary to know just the variety of different grey levels in anticipation. Modeling as well as actual  $\mu$ CT experiments show that PDM-DART is capable of computing reconstructed images of which the quality is similar to the reconstructions assessed by conventional DART based on precise prior information, thus eliminating the need for repetitive and error-prone manual intervention.

Gopinath et al. [8] introduces a Tomographic reconstruction method implemented using a regularization technique based on form. The reconstruction method involves structural representations of known characteristics as controllers in the restored system. Our scheme of regularization is driven specifically by shape data collected from segmentation and especially as contrasted to a recognized spatial model. We also demonstrated our virus program data method on automated phantom tomography, simulation data, and computational electron tomography (ET). Our reconstruction reported decreased blurring, and measurements were also needed to increase

the resolution of the reconstructed volume. Especially in comparison with common methods such as weighted back projection and algebraic methodology of reconstruction, this method also greatly increases the dividing lines of spike borders in viral genomes. Enhanced ET reconstructions will provide improved elucidation of the structure and better visualization of the function which can help to solve key biological problems. Our system can also be applied to other methods of tomography.

Pelt et al. [9], in tomography, reconstruction of the image from a tiny proportion of projections is a complex task. Occasionally, ml technologies that integrate prior knowledge may achieve precise reconstructions but usually involve long computation times. Therefore, the requisite previous information may be very limited, restricting the types of the image which can be recreated. Here they implement a generative model, utilizing an artificial neural network to derive prior information automatically. We demonstrate that this technique can be seen as a mixture of processed steps of backprojection and thus has comparatively low computational costs. Studies with two separate situations illustrate the versatility of the current method, even when faced with a restricted range of predictions, of using the knowledge learned to generate high-quality reconstructions in a short time.

Pelt et al. [10] introduce a new approach that enhances the filtered backprojection approach when using a custom filter that significantly reduces the resulting reconstruction error. We suggest that the new technique's computation complexity is considerably less than that of algebraic approaches. Research on both models and experiment results shows that the technique can provide more reliable reconstructions focused on static viewer filters than filtered back projections when faced with data with a small number of assumptions or empirical noise exists. The findings also indicate that the process generates reconstructions of algebraic approaches with equal precision. Ultimately, we show that the approach can be applied to certain types of contextual knowledge, thus increasing the accuracy of restoration in different situations.

### 3 The Proposed Methodology

The machine is intended for the identification and translation of MRI signals into grayscale to be analyzed further. The MRI images are made of some shades of green, blue and therefore the original MRI image has to be transformed into grayscale. The picture on a grayscale is given to the Wiener filter as input. The tumor is a region of the body that is the location on which the method functions. Figure 1 gives involved steps of the system to build 3D reconstruction images.




Figure 1: The proposed system to build 3D reconstruction images.

The portion of the context picture is extracted by using the algorithm of segmentation called Modified fuzzy c implies clustering (MFCM). After applying the segmentation technique to all the 2D slices, it is stored in the mat file which is used as a phantom. The detected tumor is then replicated using TVR-DART in 3-Dimensional (3D) vision, extending the analysis to find out the exact shape and size of the specimen.

### 3.1 MFCM

The Fuzzy C-Means algorithm will assign the membership to all data points by measuring its distance from the cluster center. The least-square function will be minimized and it will be generalized among groups. While analyzing the fuzzy cluster the membership degree will be measured of their closeness of the object with the cluster center [11]. This clustering algorithm will work iteratively and it partitions the given data set with k partitions. The main objective of the Fuzzy C-Means algorithm is

$$J(P, Q, R) = \sum_{i=1}^n r_{ij}^m d^2(P_i, Q_j) \quad (1).$$

Here P is the data set, Q is centers of clusters and R is the fuzzy membership degrees. In the above objective function, m is the fuzzifier to mention the value of “fuzziness” in the clustering, that  $1 \leq m \leq \infty$ .

The normal value assigned for m is 2. If the result of m is higher means a more fuzzy cluster and if m holds lower values which implies hard clusters. If the result is 1 then FCM will produce the same result as K-Means and it is called a hard algorithm. The Fuzzy C-Means will check the following conditions.

$$\begin{aligned} r_{ij} &= [0,1], 1 \leq i \leq n, 1 \leq j \leq k \\ 0 &\leq \sum_{i=1}^n r_{ij} \leq n, 1 \leq j \leq k \\ \sum_{j=1}^k r_{ij} &= 1, 1 \leq i \leq n \end{aligned} \quad (2).$$

The function of the Fuzzy C-Means algorithm will minimize by using an updated equation,

$$r_{ij} = \left( \sum_{j=1}^k \left( \frac{d^2(P_i, Q_j)}{d^2(P_i, Q_j)} \right)^{\frac{1}{m-1}} \right)^{-1} \quad (3),$$

$$q_j = \left( \sum_{i=1}^n r_{ij}^m P_i \right) / \sum_{i=1}^n r_{ij}^m \quad 1 \leq j \leq k \quad (4).$$

## 4 TVR-DART

An iterative reconstruction technique is proposed, TVR-DART yields more precise reconstructions in noise environments using minimal projection than DART. TVR-DART takes DART's key principle of directing the solution towards gray values and integrates this approach into an integrated compressive sensing optimization system. We replace DART's hard segmentation phase with a soft segmentation process that is represented by a description of logistic functions. It

helps to smooth the target role and lets us tackle the distinct problems of restoration and approximation of gray value within a non-convex optimization method in effect. A high variance word dependent on the reconstruction refers to the objective feature for noise reduction and reconstruction tracking under extremely restricted data conditions. Central TVR-DART concept is to shift the values in reconstruction softly and to use the soft segmentation feature for each iteration, and to track the whole picture regularly such that reconstruction is best matched to the projection data and its borders across regions with clear distinct gray values only after soft segmentation. Because the  $\ell_1$ -norm applies to the reconstruction segmented, TVR-DART in the reconstruction provides consistent and sharp limits without distorting the solution.

In TVR-DART, we integrate DART's solution steering notion with TV regularization, and in a computerized optimization framework, we fix the issues of discrete tomography. Analytic functional Form consists of two components: a data compatible word integrating the discrete prior word, and a regularization term that ensures sparse image gradients.

$$F(x, \bar{R}) = F_{\text{fit}}(x, \bar{R}) + \lambda \cdot F_{\text{reg}}(x, \bar{R}) \quad (5),$$

$$F_{\text{fit}} = \|WS(x, \bar{R}) - p\|_2^2 \quad (6),$$

$$F_{\text{reg}} = \sum_j M_\epsilon \left( (\nabla S(\tilde{x}, \bar{R}))_j \right) \quad (7),$$

where  $F_{\text{fit}}$  is the data fit term,  $F_{\text{reg}}$  is the regularization term applied to enforce sparsity of gradient over the discrete solution, and The lambda is the mass required to control the sharing of target feature between the two pieces.  $\nabla S(x, R)$  depicts the Soft Segmentation, which seamlessly transfers the gray levels to a distinct solution. The Huber norm function is

$$M_\epsilon(r) = \begin{cases} r^2/2\epsilon & 0 \leq |r| \leq \epsilon \\ |r| - \epsilon/2 & |r| > \epsilon \end{cases} \quad (8).$$

Having the strong segmentation into the objective function gives the pixel values a gentle drive that encourages distinct approaches. To steer towards sparse strategies, the picture gradient Huber Norm is introduced, and a differentiable objective function is generated. TVR-DART's objective function is to be minimized over x reconstruction and the segmentation parameter R.

$$\min_{x \in \mathbb{R}^n, \bar{R} = \{\rho_1, \dots, \rho_G\}} F(x, \bar{R}) \quad (9),$$

where G implies prior knowledge of the total pattern of distinct gray values in the process of reconstruction.

## 4.1 Reconstruction

Through the application of the segmentation function and Huber norm, the function  $F(x, R)$  is differentiable, the approximation is used for the subsequent reconstruction iteration. The second-order  $F(x, R)$  around Taylor series for the current iteration is

$$F(x) = F(x^t) + (x - x^t)^T J(x^t) + \frac{1}{2} (x - x^t)^T H(x^t) (x - x^t) \quad (10).$$

## 5 Results and Discussion

The paper offers an in-depth theoretical study to analyze TVR-DART 's capacity from distorted data and with restricted projection pictures and to interact with current methods like Simultaneous Iterative Reconstruction Technique (SIRT), TVmin, and DART. The findings prove TVR-DART is able to build more accurate reconstructions in challenging realistic conditions. We also show that, under various conditions, the limited number of algorithm parameters can be easily modified. Here we construct a series of simulations that will evaluate the efficiency of the proposed process. In MATLAB, all experiments are performed on a 1.8 GHz Intel core i5 processor. The simulations were based on a series of 128\*128 pixel-slices of 2D brain tumor slices.




Figure 2: Input slice.

The performance metrics are shown in Table 1. The values obtained for peak signal-to-noise ratio (PSNR) show the efficiency of the TVR-DART algorithm based on ACO. Figure 2 displays an image of the input. The picture segmented using MFCM is shown in Figure 3. The 13th slice shown in Figure 4 is a transverse view.

Table 1: Performance metrics of proposed method

images	PSNR	MSE	Execution time (ms)	SNR
1	27.30	0.00186	0.32062	16.53
2	30.70	0.00085	0.34114	18.28
3	18.31	0.01474	0.38885	10.55
4	20.647	0.00862	0.39299	12.03
5	22.598	0.00550	0.42207	14.60




Figure 3: segmented output using MFCM.





Figure 4: A Transverse view of the 3D image at 13<sup>th</sup> slice

TVR-DART in Reconstruction, under the noise level and projection images. Convergence Through iterations, objective function. Convergence of gray calculation by iterations as the sum of the errors of the predicted values of gray.

### 5.1 Sinogram of the Phantom


Then, some of the figures show a different view of the phantom's Sinogram. The image reconstructed using TVR-DART is depicted in Figure 5. Figure 6 shows the production restored by the ACO-based TVR-DART.





**Figure 5:** Reconstructed image using TVR-DART.

**Ant colony optimization with TVRDART**



**Figure 6:** Reconstructed image using ACO with TVR-DART.

## 6 Conclusion

3D reconstruction is an important aspect of applications for image processing in different aspects of our lives, including medical images. The 3D reconstruction technique applied is checked using 2D slices of the brain tumors. TVR-DART guides the alternative towards discrete gray values with the overall deviation of the discrete limits of the solvent. The gray values and the segmentation function thresholds are estimated, varying with the reconstruction. TVR-DART methods based on ACO yield the best PSNR ratio compared to the current methods. We have extracted the tumor region very efficiently using MFCM.

## 7 Availability of Data, and Material

Data can be made available by contacting the corresponding authors.

## 8 References

- [1] Levinski, K., Sourin, A. and Zagorodnov, V., 2009. 3D Visualization and Segmentation of Brain MRI Data. In *International Conference on Computer Graphics Theory and Applications (GRAPP)*, (pp. 111-118).
- [2] Birkbeck, N., Cobzas, D., Jagersand, M., Murtha, A. and Kesztyues, T., 2009, December. An interactive graph cut method for brain tumor segmentation. In *2009 Workshop on applications of computer vision (WACV)* (pp. 1-7). IEEE.
- [3] Sindhushree, K.S., Manjula, T.R. and Ramesha, K., 2013. Detection and 3D reconstruction of Brain Tumor from Brain MRI images. *International Journal of Engineering Research & Technology*, 2(8), pp.528-534.
- [4] Batenburg, K.J. and Sijbers, J., 2011. DART: a practical reconstruction algorithm for discrete tomography. *IEEE Transactions on Image Processing*, 20(9), pp.2542-2553.
- [5] Mecheter, I., Alic, L., Abbod, M., Amira, A. and Ji, J., 2020. MR Image-Based Attenuation Correction of Brain PET Imaging: Review of Literature on Machine Learning Approaches for Segmentation. *Journal of Digital Imaging*, pp.1-18.
- [6] Wei, Z., Liu, B., Dong, B. and Wei, L., 2018. A joint reconstruction and segmentation method for limited-angle X-Ray tomography. *IEEE Access*, 6, pp.7780-7791.
- [7] Van Aarle, W., Batenburg, K.J. and Sijbers, J., 2012. Automatic parameter estimation for the discrete algebraic reconstruction technique (DART). *IEEE Transactions on Image Processing*, 21(11), pp.4608-4621.
- [8] Gopinath, A., Xu, G., Ress, D., Oktem, O., Subramaniam, S. and Bajaj, C., 2012. Shape-based regularization of electron tomographic reconstruction. *IEEE transactions on medical imaging*, 31(12), pp.2241-2252.
- [9] Pelt, D.M. and Batenburg, K.J., 2013. Fast tomographic reconstruction from limited data using artificial neural networks. *IEEE Transactions on Image Processing*, 22(12), pp.5238-5251.
- [10] Pelt, D.M. and Batenburg, K.J., 2014. Improving filtered backprojection reconstruction by data-dependent filtering. *IEEE Transactions on Image Processing*, 23(11), pp.4750-4762.
- [11] Izakian, H. and Abraham, A., 2011. Fuzzy C-means and fuzzy swarm for fuzzy clustering problem. *Expert Systems with Applications*, 38(3), pp.1835-1838.



**M. AnanthaLakshmi** is an Assistant Professor at the Faculty of Electronics and Communication Engineering, Meenakshi College of Engineering. She is pursuing a Ph.D. at Annamalai University Chidambaram She got her MBA from Anna University and also an M.E in Communication System from Anand Institute of Higher Education and Technology. Her research articles areas in the field of image processing, tomography, segmentation, discrete tomography. She is also a life time member in the Indian Society of Technical Education.  
ORCID ID is <https://orcid.org/0000-0002-6183-1495>



**Dr. G. Yamuna** is Professor, in Faculty of Engineering and Technology, Annamalai University, Chidambaram, India. She obtained her Ph.D. from Annamalai University, Chidambaram in Electronics and Communication Engineering. She is a graduate member of IEEE, life member of ISTE. Her areas of interest are Digital Signal Processing, Information Security, Video Processing Wireless Communication Systems and Antenna Design.  
ORCID ID is <https://orcid.org/0000-0002-4508-3159>



**Dr. A. Sanjeevikumar** is Professor & Head, Department of Electronics and Communication Engineering, Faculty of Engineering and Technology Meenakshi Academy of Higher Education and Research ( Deemed to be University) , Chennai-78. He got a PhD from Meenakshi Academy of Higher Education and Research, Chennai from Very large scale Integration , Also he got another PhD from CMJ University, Meghalaya, Area of Research Microstrip patch Antenna, His research is Low Power VLSI, Image Process, Patch Antenna, Micro Processor  
ORCID ID is <https://orcid.org/0000-0002-0095-8847>